

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	570	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) near15 (CAM or "content addressable memory")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:04
L2	11	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:07
L3	7	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:07
L4	6	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:08
L5	6	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) same (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:08
L6	6	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) and (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:09

EAST Search History


L7	6	(((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) and (CAM or "content addressable memory") and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:09
L8	285	(((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) and (CAM or "content addressable memory") and parity and ("protection word" or CRC or "cyclic redundancy check")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:10
L9	22	(((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) and (CAM or "content addressable memory") and ((parity same ("protection word" or CRC or "cyclic redundancy check")) same (compar\$5 or comput\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:16
L10	5	(((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) and (CAM or "content addressable memory") and ((parity same ("protection word" or CRC or "cyclic redundancy check")) same (compar\$5 or comput\$5)) and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:00
L12	7	(((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalies))) same (CAM or "content addressable memory") near3 module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:07
L13	9	((CAM or "content addressable memory") near3 module\$1) and (parity near3 generat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:04

EAST Search History

L14	4	driediger-steven.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:08
-----	---	----------------------	--	----	-----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(((CAM or (content adj addressable adj memory)) near3 module\$1) and "key-based parity" and "key-based protection" and comparand).clm.	US-PGPUB	OR	OFF	2007/06/22 15:16
L2	1	(((CAM or (content adj addressable adj memory)) near3 module\$1) and "key-based parity" and "key-based protection" and compar\$4).clm.	US-PGPUB	OR	OFF	2007/06/22 15:16


 EAST
 PGPUB
 Search
 for
 inference


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE Xplore GUIDE

SUPPORT

Results for "((cam<near/10>detection)<in>metadata)"

Your search matched 13 of 1589326 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((cam<near/10>detection)<in>metadata)

[Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[View selected items](#)[Select All](#) [Deselect All](#)

- 1. The advantages and challenges of machine fault detection using artificial neural n and fuzzy logic technologies
Mo-Yuen Chow; Goode, P.V.;
[Circuits and Systems, 1993., Proceedings of the 36th Midwest Symposium on](#)
16-18 Aug. 1993 Page(s):708 - 711 vol.1
Digital Object Identifier 10.1109/MWSCAS.1993.342948
[AbstractPlus](#) | Full Text: [PDF\(404 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- 2. Mitigating soft errors in highly associative cache with CAM-based tag
Hung, L.D.; Goshima, M.; Sakai, S.;
[Computer Design: VLSI in Computers and Processors, 2005. ICCD 2005. Proceedings. IEEE International Conference on](#)
2-5 Oct. 2005 Page(s):342 - 347
Digital Object Identifier 10.1109/ICCD.2005.76
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- 3. 200MHz/200MSPS 3.2W at 1.5V Vdd, 9.4Mbits ternary CAM with new charge injection match detect circuits and bank selection scheme
Kasai, G.; Takarabe, Y.; Furumi, K.; Yoneda, M.;
[Custom Integrated Circuits Conference, 2003. Proceedings of the IEEE 2003](#)
21-24 Sept. 2003 Page(s):387 - 390
Digital Object Identifier 10.1109/CICC.2003.1249424
[AbstractPlus](#) | Full Text: [PDF\(341 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- 4. Bitwise optimised CAM for network intrusion detection systems
Yusuf, S.; Luk, W.;
[Field Programmable Logic and Applications, 2005. International Conference on](#)
24-26 Aug. 2005 Page(s):444 - 449
Digital Object Identifier 10.1109/FPL.2005.1515762
[AbstractPlus](#) | Full Text: [PDF\(195 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- 5. Pre-decoded CAMs for efficient and high-speed NIDS pattern matching**
Sourdis, I.; Pnevmatikatos, D.;
Field-Programmable Custom Computing Machines, 2004. FCCM 2004. 12th Annual IEE Symposium on
20-23 April 2004 Page(s):258 - 267
Digital Object Identifier 10.1109/FCCM.2004.46
[AbstractPlus](#) | [Full Text: PDF\(272 KB\)](#) | [IEEE CNF Rights and Permissions](#)

- 6. One-transistor-cell multiple-valued CAM for a collision detection VLSI processor**
Hanyu, T.; Kanagawa, N.; Kameyama, M.;
Solid-State Circuits Conference, 1996. Digest of Technical Papers. 43rd ISSCC., 1996 International
8-10 Feb. 1996 Page(s):264 - 265, 457
Digital Object Identifier 10.1109/ISSCC.1996.488616
[AbstractPlus](#) | [Full Text: PDF\(956 KB\)](#) | [IEEE CNF Rights and Permissions](#)

- 7. FPGA based network Intrusion detection using content addressable memories**
Long Bu; Chandy, J.A.;
Field-Programmable Custom Computing Machines, 2004. FCCM 2004. 12th Annual IEE Symposium on
20-23 April 2004 Page(s):316 - 317
Digital Object Identifier 10.1109/FCCM.2004.35
[AbstractPlus](#) | [Full Text: PDF\(94 KB\)](#) | [IEEE CNF Rights and Permissions](#)

- 8. Testing SRAM-based content addressable memories**
Zhao, J.; Irrinki, S.; Puri, M.; Lombardi, F.;
Computers, IEEE Transactions on
Volume 49, Issue 10, Oct. 2000 Page(s):1054 - 1063
Digital Object Identifier 10.1109/12.888041
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(252 KB\)](#) | [IEEE JNL Rights and Permissions](#)

- 9. Head gestures recognition**
Pei Chi Ng; De Silva, L.C.;
Image Processing, 2001. Proceedings. 2001 International Conference on
Volume 3, 7-10 Oct. 2001 Page(s):266 - 269 vol.3
Digital Object Identifier 10.1109/ICIP.2001.958102
[AbstractPlus](#) | [Full Text: PDF\(280 KB\)](#) | [IEEE CNF Rights and Permissions](#)

- 10. A real-time CAM-based Hough transform algorithm and its performance evaluation**
Nakanishi, M.; Ogura, T.;
Pattern Recognition, 1996., Proceedings of the 13th International Conference on
Volume 2, 25-29 Aug. 1996 Page(s):516 - 521 vol.2
Digital Object Identifier 10.1109/ICPR.1996.546878
[AbstractPlus](#) | [Full Text: PDF\(492 KB\)](#) | [IEEE CNF Rights and Permissions](#)

- 11. A new CAM macro for 622 Mbps ATM cell processing**
Odagiri, H.; Takahashi, N.; Shidei, T.; Takeshita, K.; Kumagai, Y.;
Custom Integrated Circuits Conference, 1996., Proceedings of the IEEE 1996
5-8 May 1996 Page(s):21 - 24

Digital Object Identifier 10.1109/CICC.1996.510504

[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)

12. **A collision detection multiprocessor for Intelligent vehicles using a high-density C**
Hariyama, M.; Hanyu, T.; Kameyama, M.;
[Intelligent Vehicles '94 Symposium, Proceedings of the](#)
24-26 Oct. 1994 Page(s):143 - 148
Digital Object Identifier 10.1109/IVS.1994.639490
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF
[Rights and Permissions](#)

13. **Comparison of penetration and scatter effects on defect contrast for GE and Siemens LEHR collimators In myocardial perfusion SPECT-a simulation study**
Xin He; Frey, E.C.; Links, J.M.; Song, X.; Tsui, B.M.W.;
[Nuclear Science, IEEE Transactions on](#)
Volume 52, Issue 5, Part 1, Oct. 2005 Page(s):1359 - 1364
Digital Object Identifier 10.1109/TNS.2005.858224
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE JNL
[Rights and Permissions](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE - All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)[SUPPORT](#)

Results for "((cam<near/10>error<near/10>detection))<in>metadata)"

 [e-mail](#) [print](#)

Your search matched 1 of 1589326 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.**» Search Options**[View Session History](#)[Modify Search](#)[New Search](#) [search](#)**» Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard Check to search only within this results setDisplay Format: Citation Citation & Abstract [view selected items](#) [Select All](#) [Deselect All](#)

1. **Mitigating soft errors in highly associative cache with CAM-based tag**
Hung, L.D.; Goshima, M.; Sakai, S.;
[Computer Design: VLSI in Computers and Processors, 2005. ICCD 2005. Proceedings. IEEE International Conference on](#)
2-5 Oct. 2005 Page(s):342 - 347
Digital Object Identifier 10.1109/ICCD.2005.76
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved